


PESTE PORCINA AFRICANA (PPA)



ALTA MORTALIDAD



ABORTOS



FIEBRE ALTA



AMONTONAMIENTO



DIARREA



DECOLORACIÓN DE LA PIEL

Los cerdos infectados con PPA se asemejan a aquellos animales infectados con varias enfermedades domésticas o exóticas tales como, la porcina clásica (cólera porcino), síndrome respiratorio reproductivo porcino agudo (SRRP), síndrome dermatitis y nefropatía porcino (SNDP), erisipela, salmonelosis, actinobacilosis, infección de *Haemophilus parasuis* (enfermedad de Glasser) useudorabia. Cuando observe animales exhibiendo los signos clínicos mencionados arriba, sospeche de PPA y contacte a su médico veterinario.

Fuente de la fotos: USDA APHIS Foreign Animal Disease Diagnostic Laboratory and Alex Ramirez at Iowa State University College of Veterinary Medicine



United States Department of Agriculture (USDA)
Animal and Plant Health Inspection Service
Veterinary Services
4700 River Road
Riverdale, MD 20737
aphis.usda.gov



American Association of Swine Veterinarians (AASV)
830 26th Street
Perry, IA 50220
515-465-5255
aasv.org



National Pork Board
PO Box 9114
Des Moines, IA 50306
800-456-7675
pork.org



Center for Food Security and Public Health
College of Veterinary Medicine
Iowa State University
Ames, IA 50011
515-294-7189
www.cfsph.iastate.edu